

SV CELIK 4.4 L=3000 (C3990)	97.90 kg	VALJ 16 (C1531) L=6000	127.40 kg
SV CELIK 5 L= 3000 (S235JRG2)	47.50 kg	VALJ 16 (C4321) L=5800	10.00 kg
SV CELIK 5 L=3000 (S235JRC+C)	1.50 kg	VALJ 16 L=1200 (S235JRG2)	130.00 kg
SV CELIK 6 L=3000 (S235JRC+C)	35.70 kg	VALJ 18 (C1531) L=6000	25.00 kg
SV CELIK 6 L=3000 (S235JRG2)	226.80 kg	VALJ 18 L=6000 (S235JRG2)	34.40 kg
SV CELIK 6 (C1531.5) L=3000	161.88 kg	VALJ 20 L=6000 (S235JRG2)	1,286.20 kg
SV CELIK 8 L=3000 (S235JRG2)	41.60 kg	VALJ 20 (C1531) L=6000	30.00 kg
SV CELIK 8 (C1531.5) L=3000	917.80 kg	VALJ 20 L=6000 (S355JO)	30.30 kg
SV CELIK 10 L=3000 (S235JRG2)	257.40 kg	VALJ 20 (1531) L=6000	30.00 kg
SV CELIK 10 (C1531.5) L=3000	479.19 kg	VALJ 22 (C1331) L=6000	17.90 kg
SV CELIK 12 L=3000 (S235JRC+C)	442.30 kg	VALJ 22 L=6000 (S235JRG2)	2,440.55 kg
SV CELIK 12 L=3000 (S235JRG2)	79.83 kg	VALJ 22 (C1531) L=6000	17.90 kg
SV CELIK 12 (C1531.5) L=3000	330.47 kg	VALJ 24 (C4732) L=4800	36.80 kg
SV CELIK 14 L=3450 (S235JRG2)	3.90 kg	VALJ 24 (C5420) L=6000	2,234.50 kg
SV CELIK 14 (C1531.5) L=3000	428.14 kg	VALJ 24 (C1531) L=6000	22.20 kg
SV CELIK 14 L=3000 (S235JRG2)	300.30 kg	VALJ 24 (C1531) L=4700	17.60 kg
SV CELIK 14 L=6000 (S355J2G3)	7.80 kg	VALJ 25 (C4321) L=4800	19.20 kg
SV CELIK 15 (C1531.5) L=3000	34.30 kg	VALJ 25 L=5200 (S355J2G3)	52.00 kg
SV CELIK 16 L=3000 (S235JRG2)	590.04 kg	VALJ 25 (C1531) L=5000	80.00 kg
SV CELIK 16 (C1331) L=6100	28.68 kg	VALJ 25 (C1531) L=5520	42.60 kg
SV CELIK 18 L=3000 (S235JRG2)	301.62 kg	VALJ 25 (C1531) L=5-6met	23.10 kg
SV CELIK 18 (C1531.5) L=3000	137.52 kg	VALJ 25 (C1531) L=6000	46.20 kg
SV CELIK 20 (C1531.5) L=3000	591.46 kg	VALJ 25 (C1221) L=6000	23.30 kg
SV CELIK 20 L=3000 (S235JRG2)	548.31 kg	VALJ 25 L=6000 (S235JRG2)	23.50 kg
SV CELIK 22 (C1531) L=3000	199.72 kg	VALJ 25 L=6000 (S355JO)	627.64 kg
SV CELIK 22 L=3000 (S235JRG2)	164.90 kg	VALJ 26 (C1531) L=5-6met	25.00 kg
SV CELIK 24 L=3000 (S235JRG2)	574.53 kg	VALJ 26 (C4732) L=6000	50.00 kg
SV CELIK 24 (C1531.5) L=3000	579.05 kg	VALJ 26 (C4732) L=5-6met	324.88 kg
SV CELIK 25 (C1531.5) L=6000	24.00 kg	VALJ 26 (C1531) L=6000	75.00 kg
SV CELIK 25 L=6000 (S235JRG2)	48.00 kg	VALJ 26 (C4320) L=6000	229.86 kg
SV CELIK 25 (C1531.5) L=3000	244.04 kg	VALJ 26 (C4732) L=5500	45.00 kg
SV CELIK 25 L=3000 (S235JRG2)	152.04 kg	VALJ 27 (C1331) L=5000	97.20 kg
SV CELIK 26 L=5-6met (C1531)	1,343.89 kg	VALJ 27 (C1331) L=5-6met	34.00 kg
SV CELIK 26 (C1531.5) L=3000	307.52 kg	VALJ 28 (C1531) L=6000	29.00 kg
SV CELIK 26 L=3000 (S235JRG2)	374.62 kg	VALJ 28 (C1531) L=5-6met	29.00 kg
SV CELIK 26 L=6000 (S235JRG2)	862.62 kg	VALJ 30 (C1221) L=5400	128.00 kg
SV CELIK 28 (C1531) L=6000	88.24 kg	VALJ 30 (C1531) L=5-6met	206.00 kg
SV CELIK 28 (C1531.5) L=3000	136.26 kg	VALJ 30 (C562) L=5000	58.00 kg
SV CELIK 28 L=3000 (S235JRG2)	631.02 kg	VALJ 30 (C1531) L=3000	36.00 kg
SV CELIK 30 (C1531.5) L=3000	18.00 kg	VALJ 30 (C4321) L=6000	3,032.02 kg
SV CELIK 30 L=3000 (S235JRG2)	155.82 kg	VALJ 30 (S355J2G3) L=6000	35.00 kg
SV CELIK 32 L=3000 (S235JRG2)	380.96 kg	VALJ 30 (C1221) L=5600	32.70 kg
SV CELIK 32 L=3000 (S355J2G3)	2,305.72 kg	VALJ 30 (C1531) L=3500	140.00 kg
SV CELIK 32 (C1531.5) L=3000	637.65 kg	VALJ 30 (C1531) L=6000	35.10 kg
SV CELIK 35 (C1531.5) L=3000	70.50 kg	VALJ 30 (C4320) L=6000	342.70 kg
SV CELIK 35 L=3000 (S235JRG2)	278.75 kg	VALJ 30 (C562) L=5100	87.00 kg
SV CELIK 36 (1531.5) L=3000	73.86 kg	VALJ 30 (1531) L=5000	120.00 kg
SV CELIK 38 (C1531) L=5400	1,344.52 kg	VALJ 30 (C4321) L=4800	29.00 kg
SV CELIK 40 (C1531.5) L=3000	213.40 kg	VALJ 30 (C4732) L=5000	120.00 kg
SV CELIK 45 L 3000 (S235JRG2)	226.02 kg	VALJ 30 L=6000 (S355JO)	36.00 kg
SV CELIK 50 L 3000 (S235JRG2)	379.50 kg	VALJ 32 (C1430) L=6000	76.00 kg
SV CELIK 52 L=6000 (S355J2+SH)	2,616.75 kg	VALJ 32 (C1531) L=6000	38.00 kg
SV Firiket 10x10 (C1531.5) L=3000	28.56 kg	VALJ 32 (C1531) L=5-6 met	33.00 kg
SV Firiket 12x12 (C1531.5) L=3000	30.96 kg	VALJ 32 (C4732) L=4900	31.00 kg
VALJ 12 (C1531) L=6000	5.80 kg	VALJ 32 (C4732) L=5000	138.80 kg
VALJ 12 L=6000 (S235JRG2)	11.60 kg	VALJ 32 L=6000 (S235JRG2)	38.00 kg
VALJ 14 (4732) L=6000	7.50 kg	VALJ 34 L=6000 (S355J2G3)	1,532.52 kg
VALJ 14 L=6000 (S235JRG2)	15.00 kg	VALJ 34 (C4321) L=4800	34.00 kg
VALJ 15 L=6000 (S235JRG2)	9.00 kg	VALJ 34 L=6000 (S235JRG2)	84.00 kg
VALJ 16 L=6000 (S235JRG2)	10.00 kg	VALJ 35 (C1221) L=6000	47.00 kg

VALJ 35 (C4732) L=5-6met	47.00 kg	VALJ 60 (C4321) L=6000	138.00 kg
VALJ 35 (C1221) L=3200	24.20 kg	VALJ 60 L=6000 (S355J2G3)	3,085.91 kg
VALJ 35 (C1221) L=4580	36.60 kg	VALJ 60 (C1221) L=4500	104.00 kg
VALJ 35 (C562) L=5400	40.00 kg	VALJ 60 (C4732) L=6000	145.00 kg
VALJ 35 (C1531) L=4700	39.00 kg	VALJ 60 (C562) L=5000	240.00 kg
VALJ 35 (C1531) L=5-6met	91.00 kg	VALJ 60 (C1531) L=4150	97.00 kg
VALJ 35 (C1531) L=6000	230.20 kg	VALJ 60 (C1531) L=6000	1,096.00 kg
VALJ 35 (C4321) L=5100	88.00 kg	VALJ 60 (C4732) L=5-6met	400.50 kg
VALJ 36 (C4732) L=4600	40.00 kg	VALJ 60 L=5100 (S355J2G3)	116.00 kg
VALJ 36 (C1531) L=2500	20.00 kg	VALJ 60 L=5600 (S355J2G3)	127.00 kg
VALJ 36 (C1531) L=5000	41.00 kg	VALJ 60 L=6000 (S355JO)	399.00 kg
VALJ 40 (1531) L=6000	240.00 kg	VALJ 65 (C4732) L=4100	115.00 kg
VALJ 40 (C1531) L=6200	66.00 kg	VALJ 65 L=6000 (S355J2G3)	635.00 kg
VALJ 40 L=5550 (S355J2G3)	280.00 kg	VALJ 65 (C1531) L=5000	140.00 kg
VALJ 40 L=6000 (S235JRG2)	121.82 kg	VALJ 65 (C1531) L=6000	174.00 kg
VALJ 40 (C1221) L= 4930	49.00 kg	VALJ 65 (C1531) L=5800	160.00 kg
VALJ 40 (C4732) L=5-6met	59.00 kg	VALJ 65 (C4732) L=5-6met	3,814.98 kg
VALJ 40 (1531) L=4700	96.00 kg	VALJ 70 (C1221) L=6000	182.00 kg
VALJ 40 (C1221) L=6000	362.85 kg	VALJ 70 (C1531) L=4-6 met	160.00 kg
VALJ 40 (C1531) L=2650	27.00 kg	VALJ 70 (C4732) L=4-4.5met	270.00 kg
VALJ 40 (C1531) L=4600	282.00 kg	VALJ 70 (C4732) L=6000	2,382.20 kg
VALJ 40 (C1531) L=6000	3,162.00 kg	VALJ 70 L=6000 (S235JRG2)	180.00 kg
VALJ 40 (C4321) L=5900	126.00 kg	VALJ 70 L=6000 (S355J2G3)	180.00 kg
VALJ 40 L=5900 (S355J2G3)	183.00 kg	VALJ 70 (C1531) L=5-6met	182.00 kg
VALJ 40 (C1531) L=4000	40.00 kg	VALJ 70 (C1531) L=6000	910.00 kg
VALJ 40 L= 6000 (S355J2G3)	4,566.75 kg	VALJ 70 (C4321) L=4700	140.00 kg
VALJ 40 L=5700 (S355J2G3)	61.00 kg	VALJ 75 (1531) L=5000	586.50 kg
VALJ 42 L=6000 (S355JO)	66.00 kg	VALJ 75 (1531) L=5900	230.00 kg
VALJ 42 (C1531) L=6000	132.00 kg	VALJ 75 (C1531) L=5800	203.00 kg
VALJ 45 (C1531) L=5000	64.00 kg	VALJ 80 (C1331) L=5-6met	237.00 kg
VALJ 45 (C1731) L=5-6met	300.00 kg	VALJ 80 (C1531) L=5500	208.00 kg
VALJ 45 (C562) L=5500	145.00 kg	VALJ 80 (C4732) L=5000	189.00 kg
VALJ 45 L=5800 (S355J2G3)	153.00 kg	VALJ 80 (C562) L=5400	220.00 kg
VALJ 45 (C1531) L=5-6met	231.00 kg	VALJ 80 (C1531) L=1440	54.00 kg
VALJ 45 (C1531) L=6000	1,210.61 kg	VALJ 80 (C1531) L=6000	475.00 kg
VALJ 45 (C4732) L=5-6met	75.00 kg	VALJ 80 (C1731) L=5-6met	237.00 kg
VALJ 45 L=6000 (S355J2G3)	910.50 kg	VALJ 80 (C4721) L=3740	153.50 kg
VALJ 50 (C1531) L=5000	154.00 kg	VALJ 80 L=5950 (S355J2G3)	482.00 kg
VALJ 50 (C1531) L=6000	3,881.65 kg	VALJ 80 (C1531) L= 5300	205.00 kg
VALJ 50 (C4721) L=5000	83.50 kg	VALJ 85 (C1531) L=3000	134.00 kg
VALJ 50 (C562) L=6000	276.00 kg	VALJ 85 (C1531) L=6000	534.00 kg
VALJ 50 (C4732) L=6000	372.00 kg	VALJ 85 (C4732) L=2850	112.00 kg
VALJ 50 (C1531) L=5-6met	186.00 kg	VALJ 85 L=6100 (S355J2G3)	2,151.12 kg
VALJ 50 (C4732) L=3700	66.00 kg	VALJ 85 (C4732) L=6000	276.00 kg
VALJ 50 L=5900 (S355J2G3)	92.00 kg	VALJ 90 (C1531) L=5-6met	310.00 kg
VALJ 50 (C1531) L=5400	84.00 kg	VALJ 90 met (1531)	51.00 kg
VALJ 50 (C1531) L=5500	540.00 kg	VALJ 90 (1531) L=6000	320.00 kg
VALJ 50 L=4200 (S235JRG2)	140.00 kg	VALJ 90 (C1331) L=5600	294.00 kg
VALJ 55 (C1221) L=6000	225.00 kg	VALJ 90 (C1331) L=5900	301.00 kg
VALJ 55 L=6000 (S355JO)	228.00 kg	VALJ 90 (C1531) L=6000	620.00 kg
VALJ 55 (C1531) L=6000	228.50 kg	VALJ 95 (C1531) L=5500	298.00 kg
VALJ 55 L=4100 (S355J2G3)	291.00 kg	VALJ 95 L=6100 (S355J2G3)	334.29 kg
VALJ 55 (C1531) L=3500	67.00 kg	VALJ 95 (C1531) L=6150	1,016.25 kg
VALJ 55 (C1531) L=5800	224.00 kg	VALJ 95 L=6070 (S355JO)	1,342.00 kg
VALJ 55 (C4732) L=5500	315.00 kg	VALJ 95 (C4732) L=1960	124.00 kg
VALJ 60 (C1221) L=4800	105.60 kg	VALJ 100 (C1531) L=3000	372.00 kg
VALJ 60 (C1531) L=4-6 met	116.00 kg	VALJ 100 (C1531) L=5900	375.00 kg
VALJ 60 (C4721) L=4500	103.50 kg	VALJ 100 (C1531) L=6000	1,170.00 kg
VALJ 60 (C4732) L=3900	90.00 kg	VALJ 100 L=3080 (S355J2G3)	196.00 kg
VALJ 60 (1531) L=5500	250.00 kg	VALJ 110 (C1531) L=3000	215.00 kg

VALJ 110 (C1531) L=4500	345.00 kg
VALJ 110 L=10.5-11.5met (S235JRG2)	1,705.78 kg
VALJ 110 (C1531) L=4100	634.00 kg
VALJ 110 (C4732) L=400	30.50 kg
VALJ 120 L=5650 (S355JR)	505.00 kg
VALJ 120 met (1531.6000)	845.00 kg
VALJ 120 (C1221) L=3500	319.00 kg
VALJ 120 (C1531) L=5250	485.00 kg
VALJ 120 (C1531) L=6000	1,100.00 kg
VALJ 130 (C1531) L=6000	624.00 kg
VALJ 140 (C1531) L=6000	726.00 kg
VALJ 140 (C4732) L=5000	605.00 kg
VALJ 150 (C1531) L=3000	425.00 kg
VALJ 150 (C1531) L=6000	850.00 kg
VALJ 160 (C1531) L=6000	948.00 kg
VALJ 170 (C1531) L=5000	908.00 kg
VALJ 170 (C1531) L=6000	1,090.00 kg
VALJ 170 (C4732) L=5400	970.00 kg
VALJ 180 L=5660 (S355JR)	1,149.00 kg
VALJ 190 L=5750 (S355J2G3)	1,302.00 kg
VALJ 300 (C1731) L=5200	2,290.00 kg
VALJ 335 (C1531) L=3700	2,585.00 kg
VALJ 350 (C1531) L=3600	2,750.00 kg
VALJ 360 (C4732) L=5400	4,310.00 kg
VALJ 380 (C4732) L=1100	980.00 kg
VALJ 480 (C1531) L=2500	3,640.00 kg